

**NEBRASKA ARMY NATIONAL GUARD
DIRECTORATE OF PERSONNEL ADMINISTRATION
ENLISTED PROMOTION SECTION
2433 NW 24th STREET
LINCOLN, NEBRASKA 68524
*TRADITIONAL VACANCY ANNOUNCEMENT***

Announcement Number: 26-P3ZA0-20303

Closing Date: Open Until Filled

Position Title & Unit: Water Treatment NCO,
A Co (FSC), 128th EN BN position #03274779

Location: Hastings, NE

Military Grade Range: Minimum SPC/E4 - Maximum SGT/E5

Military Requirements: Designated CPMOS for this position 92W. A security clearance of SECRET is required for the initial award of MOS. Must meet the physical demands requirements and qualifications of DA Pam 611-21. MOS qualification, if required, must be completed IAW current policy and training guidance. The selected individual may incur additional training requirements for SQI and/or ASI requirements for the duty position (see unit specific requirements below). The qualifications for the award of this MOS can be found in DA Pam 611-21.

Area of Consideration: All eligible and available members of the Nebraska Army National Guard serving in the grade range listed above. In order to be promoted in this position, the Soldier must be fully qualified for promotion IAW AR 600-8-19.

General Requirements:

1. Currently assigned (RANK) of the Nebraska Army National Guard or those eligible to join the NEARNG.
2. Not currently "Flagged from Favorable Personnel Actions", under a "Bar to Reenlistment."
3. Meet other requirements as stated in **Military Requirements** above.

Summary of Duties: Purify water using various treatment methods, ensuring potable water standards. Operate and perform preventative maintenance on a wider range of water treatment equipment. Analyze water samples, interpret results and adjust treatment processes. Supervise small teams in water purification tasks, providing guidance and training. Inspect facilities and food suppliers for basic sanitation concerns. Maintain inventory of chemicals and supplies, managing stock levels. Operate laundry equipment facilities, ensuring sanitary operation.

Other Unit Unique Considerations/Requirements: None.

Application Instructions: Submit a completed "Traditional NCO Vacancy Application" by e-mail to "ng.ne.nearng.list.g1-epm@mail.mil" with a subject line of "**Vacancy Application 26-P3ZA0-20303**" or in hard copy to the G1 office no later than 1600 hours on the closing date. Electronic applications must be in PDF format on one single attachment. The use of official mail to forward employment applications is prohibited. Applications or attachments which are unreadable or cannot be opened will not be accepted or considered. DPA is not responsible for any malfunctions when using electronic means to transmit job applications. Applicants may verify receipt of their application telephonically by calling (402)309-8148.

10-92W. MOS 92W--Water Treatment Specialist (Water Trmt SPC), CMF 92

a. *Major duties.* The Water Treatment Specialist is primarily responsible for supervising and installing water purification equipment, ensuring clean water storage and availability, and performing water quality tests to detect potential contaminants. They also inspect facilities and food suppliers for disease-causing agents, germs, and environmental hazards. In Field Hospitals, they serve as laundry equipment operators, overseeing the sanitary operation of laundry facilities to maintain health and hygiene standards, safeguarding public health and preventing the spread of waterborne diseases. Duties for MOS 92W at each level of skill are:

(1) *MOSC 92W10.* Collect and test water samples, following established procedures. Operate and maintain basic water purification equipment, assisting with setup and breakdown. Monitor water quality indicators, reporting deviations to supervisors. Maintain records of testing results and equipment maintenance. Follow safety protocols while handling chemicals and operating equipment. Support overall facility operations and sanitation efforts. Assist with basic laundry facility operations.

(2) *MOSC 92W20.* Purify water using various treatment methods, ensuring potable water standards. Operate and perform preventative maintenance on a wider range of water treatment equipment. Analyze water samples, interpret results and adjust treatment processes. Supervise small teams in water purification tasks, providing guidance and training. Inspect facilities and food suppliers for basic sanitation concerns. Maintain inventory of chemicals and supplies, managing stock levels. Operate laundry equipment facilities, ensuring sanitary operation.

(3) *MOSC 92W30.* Supervise water purification operations, ensuring quality control and compliance with regulations. Direct water reconnaissance efforts, identifying and developing new water sources. Troubleshoot and repair complex water treatment equipment malfunctions. Train and mentor junior soldiers in water treatment procedures. Analyze water quality data, prepare reports and recommendations. Manage operation and quality control of water supply, storage, distribution, and purification activities at battalion/brigade level. Employ CBRN detection and purification techniques to ensure water sources are free from chemical, biological, radiological, and nuclear contamination.

(4) *MOSC 92W40.* Manage all aspects of water treatment facilities, including personnel, equipment, and resources. Develop and implement water treatment plans, adapting to changing conditions. Advise commanders on water supply issues, providing technical expertise. Direct water reconnaissance and water point development for division, corps, and echelons above corps. Oversee quality control programs, maintaining compliance with standards. Furnish reports to higher headquarters. Develop area water supply and treatment plans and supervise operation. Perform staff and advisory duties related to water and laundry operations.

b. *Physical demands rating and qualifications for the initial award of MOS.* Water treatment specialists must possess the following qualifications:

(1) A physical demands rating of Significant (Gray).

(2) A physical profile of 211221.

(3) Normal color vision.

(4) Qualifying scores.

(a) A minimum score of 88 in aptitude area GM.

(b) A minimum OPAT score of Standing Long Jump (LJ) – 0140 cm, Seated Power Throw (PT) – 0400 cm, Strength Deadlift (SD) – 0140 lbs., and Interval Aerobic Run (IR) – 0040 shuttles in Physical Demand Category in “Significant” (Gray).

(5) Mandatory formal training. Completion of MOS 92W course conducted under the auspices of the U.S. Army Quartermaster School; or meet the ACASP criteria listed in AR 601-210. Waiver requests can be submitted to the Office of the Quartermaster Commandant Enlisted Proponent Office at USARMY Ft Lee VA, 23801. TRADOC List QM Enlisted Personnel Development lee.tradoc.list.qm-enlisted-personnel-development@army.mil.

c. Additional skill identifiers.

(1) D6--Advanced Business Analyst (Effective 202606) (personnel only).

d. Physical requirements and standards of grade. Physical requirements and SG relating to each skill level are listed in the following tables:

(1) *Table 10-92W-1.* Physical requirements.

(2) *Table 10-92W-2.* Standards of grade TOE/MTOE.

(3) *Table 10-92W-3.* Standards of grade TDA.