

**NEBRASKA ARMY NATIONAL GUARD  
DIRECTORATE OF PERSONNEL ADMINISTRATION  
ENLISTED PROMOTION SECTION  
2433 NW 24<sup>TH</sup> STREET  
LINCOLN, NEBRASKA 68524**

**TRADITIONAL VACANCY ANNOUNCEMENT**

**Announcement Number:** 22-P4MAA-1044

**Closing Date:** 21 July 2022

**Position Title & Unit:** Water Treatment NCO,  
HSC, 67th MEB

**Location:** Lincoln, NE

**Military Grade Range:** Minimum PFC/E3 - Maximum SGT/E5

**Military Requirements:** Designated CPMOS for this position 92W. Must meet the physical demands requirements of DA Pam 611-21. MOS qualification, if required, must be completed IAW current policy and training guidance. Selected individual may incur additional training requirements for SQI and/or ASI requirements for the duty position (see unit specific requirements below). The qualifications for the award of this MOS can be found in DA Pam 611-21.

**Area of Consideration:** All eligible and available members of the Nebraska Army National Guard serving in the grade range listed above. In order to be promoted in this position, the selected Soldier must be fully qualified for promotion IAW AR 600-8-19.

**General Requirements:**

1. Currently assigned PFC/E3 – SGT/E5 in the Nebraska Army National Guard.
2. Not currently "Flagged from Favorable Personnel Actions" or under a "Bar to Reenlistment", or defined as "Stagnant".
3. Meet other requirements as stated in **Military Requirements** above.

**Summary of Duties:** Conducts water reconnaissance. Develops water sources and water points. Supervises and trains soldiers to perform water treatment tasks. Performs operator maintenance and inspects operational condition and maintenance of equipment. Determines treatment method and treats water for purification. Analyses and verifies test results of raw and treated water. Maintains and inventories water treatment equipment and chemical supplies. Prepares water treatment reports.

**Other Unit Unique Considerations/Requirements:** None

**Application Instructions:** Submit a completed Traditional NCO Vacancy Application by e-mail to [ng.ne.nearng.list.g1-epm@army.mil](mailto:ng.ne.nearng.list.g1-epm@army.mil) with a subject line of "**Vacancy Application 22-P4MAA-1044**" or in hard copy to the G1 office no later than 1600 hours on the closing date. Electronic applications must be in PDF format on one single attachment. The use of official mail to forward employment applications is prohibited. Applications or attachments which are unreadable or cannot be opened will not be accepted or considered. G1 is not responsible for any malfunctions when using electronic means to transmit job applications. Applicants may verify receipt of their application telephonically by calling (402)309-8152.

**10-92W. MOS 92W--Water Treatment Specialist (Water Trmt SPC), CMF 92 Army Civilian Acquired Skills Program (ACASP) designated MOS)**

a. *Major duties.* The water treatment specialist supervises or performs installation, operation of water purification equipment, water storage and distribution operations and activities. Duties for MOS 92W at each level of skill are:

(1) *MOSC 92W10.* Assists in water reconnaissance, site preparation, and setup of water treatment activity. Operates and maintains water treatment equipment. Receives, issues, and stores potable water. Performs water quality analysis testing and verification.

(2) *MOSC 92W20.* Conducts water reconnaissance. Develops water sources and water points. Supervises and trains soldiers to perform water treatment tasks. Performs operator maintenance and inspects operational condition and maintenance of equipment. Determines treatment method and treats water for purification. Analyses and verifies test results of raw and treated water. Maintains and inventories water treatment equipment and chemical supplies. Prepares water treatment reports.

(3) *MOSC 92W30.* Interprets water reconnaissance results to determine location of water sites. Directs water reconnaissance and water point development. Provides technical guidance to personnel.

(4) *MOSC 92W40.* Directs water reconnaissance and water point development for division, corps, and echelons above corps. Manages operation and ensures quality control of water supply, storage, distribution and purification activities. Performs staff and advisory duties. Furnishes reports to higher headquarters. Develops area water supply and treatment plan and supervises operation.

b. *Physical demands rating and qualifications for initial award of MOS.* Water treatment specialists must possess the following qualifications:

(1) A physical demands rating of Significant (Gray).

(2) A physical profile of 211221.

(3) Normal color vision.

(4) Qualifying scores.

(a) A minimum score of 90 in aptitude area GM in Armed Services Vocational aptitude Battery (ASVAB) tests administered prior to 2 January 2002.

(b) A minimum score of 88 in aptitude area GM on ASVAB tests administered on and after 2 January 2002.

(c) A minimum OPAT score of Standing Long Jump (LJ) – 0140 cm, Seated Power Throw (PT) – 0400 cm, Strength Deadlift (SD) – 0140 lbs., and Interval Aerobic Run (IR) – 0040 shuttles in Physical Demand Category in “Significant” (Gray).

(5) Formal training (completion of MOS 92W course conducted under the auspices of the U.S. Army Quartermaster School) mandatory or meet the ACASP criteria per paragraph 9-5b(5)(b) of this pamphlet and in paragraph (6) below. Waiver for formal training or ACASP criteria must be submitted to Cdr, USAQMC&S, ATTN: ATSM-QMG, Ft Lee, VA 23801-5032 for approval.

(6) ACASP qualification criteria. Must have 2 years of experience or combination of formal training and experience totaling 2 years in water treatment plant operations.

c. *Additional skill identifiers.*

(1) P5--Master Fitness Trainer.

(2) 2B--Air Assault (personnel only).

(3) 2S--Battle Staff Operations (SL 3 and above).

(4) 4A--Reclassification Training.

(5) 5W--Jumpmaster (personnel only).

(6) 6T--Military Auditor (Reserve Component personnel only).

(7) 8P--Competitive Parachutist (skill level 2-4 personnel only).

d. *Physical requirements and standards of grade.* Physical requirements and SG relating to each skill level are listed in the following tables:

(1) *Table 10-92W-1.* Physical requirements.

(2) *Table 10-92W-2.* Standards of grade TOE/MTOE.

(3) *Table 10-92W-3.* Standards of grade TDA.